

## Hartz® 2 in 1® Plus Seven Month Collar for Cats

### Alternate Brand Name(s)

Hartz® UltraGuard® Flea & Tick Collar for Kittens  
Hartz® UltraGuard® Flea & Tick Collar for Cats (&) (and) (Kittens)  
Hartz® UltraGuard® Reflecting Flea & Tick Collar for Cats (&) (and) (Kittens)  
Hartz® Advanced Care® 2 in 1® 7 Month Flea and Tick Collar for Cats  
Hartz® Advanced Care® 2 in 1® 7 Month Flea and Tick Collar for Kittens  
Hartz® Advanced Care® 2 in 1® 7 Month Flea and Tick Collar for Cats and Kittens  
Hartz® Advanced Care® 2 in 1® Reflecting 7 Month Flea and Tick Collar for Cats  
Hartz® Advanced Care® 2 in 1® Reflecting 7 Month Flea and Tick Collar for Kittens  
Hartz® Advanced Care® 2 in 1® Reflecting 7 Month Flea and Tick Collar for Cats and Kittens  
Hartz® Advanced Care® 2 in 1® Collar for Cats  
Hartz® Advanced Care® 2 in 1® Collar for Kittens  
Hartz® Advanced Care® 2 in 1® Collar for Cats and Kittens  
Hartz® Advanced Care® 2 in 1® Reflecting Collar for Cats  
Hartz® Advanced Care® 2 in 1® Reflecting Collar for Kittens  
Hartz® Advanced Care® 2 in 1® Reflecting Collar for Cats and Kittens  
Hartz® 2 in 1® Collar For Cats  
Hartz® 2 in 1® Collar for Kittens  
Hartz® 2 in 1® Reflecting Collar for Cats

### ACTIVE INGREDIENT:

Tetrachlorvinphos ..... 14.55%

OTHER INGREDIENTS ..... 85.45%

TOTAL ..... 100.00%

**CAUTION:** Do not let children play with this collar.  
See (side) (back) panel(s) for additional precautionary statements.

**NET CONTENT(S):** 1 (white) (pink) (orange) (blue) (yellow) (purple)  
(red) (grey) (hunter green) (green) (black) (silver) (gold) (reflecting  
(reflective) COLLAR, ) {Note to Reviewer: Length can range from 11 to  
15 inches.} Net Weight 0.34 to 0.47oz (9.68g to 13.2g).}

EPA Reg. No. 2596-83  
EPA Est. No. 2596-OH-1

Made (in the U.S.A.) by The Hartz Mountain Corporation 400 Plaza Drive Secaucus, NJ  
07094 (U.S.A.)

**READ ENTIRE LABEL BEFORE  
EACH USE. USE ONLY ON  
CATS.**

### PRECAUTIONARY STATEMENTS

### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

---

*Optional/Alternate text shown in ( ) or [ ]; Administrative text/notes to reviewer { } shown in  
{ } and do not appear on commercial label.*

Page 1

**CAUTION:** Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

**FIRST AID**

**If swallowed:** Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a Poison Control Center or doctor. Do not give anything by mouth to an unconscious person.

**If On Skin Or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice.

**If In Eyes:** Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice.

Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment. For additional information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), you may call 1-800-275-1414 twenty-four (24) hours per day, seven (7) days per week.

**Note to Physicians and Veterinarians:** This product contains tetrachlorvinphos (an organophosphate) which is a cholinesterase inhibitor. Cholinergic symptoms may include salivation, miosis, incoordination, muscle fasciculation and/or weakness, vomiting and diarrhea. Atropine is antidotal. 2-PAM may be effective as an adjunct to atropine. Call 1-800-275-1414 or your local Poison Control Center for further information.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**REMOVE COLLAR FROM PACKAGE UNROLL AND STRETCH TO ACTIVATE INSECTICIDE GENERATOR.**

Do not use on kittens under 12 weeks of age. Do not unroll collar until ready to use.

Place the (Hartz® 2 in 1® Plus) (alternate brand name) (collar) around the cat's neck, adjust for proper fit, and buckle in place. The collar must be worn loosely to allow for growth of the cat and to permit the collar to move about the neck. Generally, a properly fitted collar is one that, when fastened, will snugly slide over the cat's head. Leave 2 or 3 inches on the collar for extra adjustment and cut off and dispose of the extra length. Consult a veterinarian before using this product on debilitated, aged, medicated, pregnant or nursing animals. Sensitivity may occur after using ANY pesticide product for pets. Some animals may become irritated by any collar if it is applied too tightly. If this occurs, loosen the collar. If irritation continues, remove the collar from the cat. If signs of sensitivity occur, remove the collar and bathe your pet with mild soap

---

*Optional/Alternate text shown in ( ) or [ ]; Administrative text/notes to reviewer { } shown in { } and do not appear on commercial label.*

and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. Do not use this product on cats simultaneously or within 30 days before or after treatment with or exposure to cholinesterase inhibiting drugs, pesticides, or chemicals. However, flea and tick collars may be immediately replaced.

This collar is intended for use only as an insecticide generator. (Kills fleas and ticks common to cats, including the Deer tick, which may carry Lyme disease, and the Rocky Mountain wood tick, which may carry Rocky Mountain spotted fever.) The collar will begin to kill fleas and ticks immediately. (Its full protection against harder to kill ticks will be built up within a few days after being placed on the pet.) For continuous flea and tick protection under normal conditions replace the collar every seven months. The collar kills ticks for 5 months and aids in their control an additional (2 months) (1 month). Under conditions where cats are exposed to severe flea and tick infestations it may be necessary to replace the collar more frequently; however, do not replace the collar more frequently than every 5 months. Wetting will not impair the collar's effectiveness or the pet's protection. If the cat is out in the rain it is not necessary to remove the collar. The (brand name) (collar) may be worn with a regular collar. It is recommended that the pet's bedding or sleeping quarters be treated for flea and tick control with a product registered for this use such as (brand name).

**[ALTERNATE DIRECTIONS FOR USE** with Decorative Collars [with (mesh) (net) (screen) (web) underside].

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

REMOVE (INSERT) (COLLAR) FROM PACKAGE. Unroll and stretch to activate insecticidal generator.

Do not use on (kitten's under **12** weeks old). Do not unroll collar until ready to use. Place the (brand name) (collar) around the (cat's) (kitten's) (cat's or kitten's) (animal's) neck, adjust for proper fit, and buckle in place. The collar must be worn loosely to allow for growth of the (cat) (animal) and to permit the collar to move (around) (about) the neck. (Generally,) A properly fitted collar is one that, when fastened, will snugly slide over the pet's head. Leave 2 or 3 inches on the collar for extra adjustment and cut off and dispose of the extra length.

The (insert) (collar) is intended for use only as an insecticide generator.

The collar will begin to kill fleas, ticks and flea eggs and larvae immediately. Its full protection against harder to kill ticks will be built up within a few days after being placed on the pet. For continuous (flea and tick) protection under normal conditions replace the collar every (seven) (7), (six) (6), (five)(5) months. Under conditions where pets are exposed to severe flea and tick infestations, it may be necessary to replace the collar more frequently.

Wetting will not impair the collar's effectiveness or the pet's protection. If the pet goes swimming or is out in the rain it is not necessary to remove the collar. The (brand name) (collar) may be worn with a regular collar.

## STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

**Pesticide Storage:** Keep this product in its tightly closed original container, when not in use. Store in a cool, dry (preferably locked) area that is inaccessible to children and animals.

**Pesticide Disposal:** If empty: Non-refillable container. Do not reuse or refill this container. Offer for recycling, if available.

**If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

**NOTICE:** This product contains a chemical known to the State of California to cause cancer.

## OPTIONAL/ALTERNATE LABEL TEXT

Starts Killing (&) (and) Repelling Fleas

Starts Killing (&) (and) Repelling Fleas (&) (and) Ticks

Starts Killing (&) (and) Repelling Fleas (&) (and) Ticks for up to five (5) Months

Starts Killing (&) (and) Repelling Fleas (&) (and) Ticks for up to seven (7) Months

Starts Killing (&) (and) Repelling Fleas (&) (and) Ticks through Contact

Starts Killing (&) (and) Repelling Fleas (&) (and) Ticks through Contact for up to five (5) Months

Starts Killing (&) (and) Repelling Fleas (&) (and) Ticks through Contact for up to seven (7) Months

Starts Killing (&) (and) Repelling Fleas (&) (and) Ticks on contact

Starts Killing (&) (and) Repelling Fleas (&) (and) Ticks on contact for up to five (5) Months

Starts Killing (&) (and) Repelling Fleas (&) (and) Ticks on contact for up to seven (7) Months

Starts to Kill (&) (and) Repel Fleas

Starts to Kill (&) (and) Repel Fleas (&) (and) Ticks

Starts to Kill (&) (and) Repel Fleas (&) (and) Ticks for up to five (5) Months

Starts to Kill (&) (and) Repel Fleas (&) (and) Ticks for up to seven (7) Months

Starts to Kill (&) (and) Repel Fleas (&) (and) Ticks through Contact

Starts to Kill (&) (and) Repel Fleas (&) (and) Ticks through Contact for up to five (5) Months

Starts to Kill (&) (and) Repel Fleas (&) (and) Ticks through Contact for up to seven (7) Months

Starts to Kill (&) (and) Repel Fleas (&) (and) Ticks on contact for up to five (5) Months

Starts to Kill (&) (and) Repel Fleas (&) (and) Ticks on contact for up to seven (7) Months

Kills (&) (and) Repels Fleas

Kills (&) (and) Repels Fleas (&) (and) Ticks

Kills (&) (and) Repels Fleas (&) (and) Ticks for up to five (5) Months

Kills (&) (and) Repels Fleas (&) (and) Ticks for up to seven (7) Months

Kills (&) (and) Repels Fleas (&) (and) Ticks through Contact

Kills (&) (and) Repels Fleas (&) (and) Ticks through Contact for up to five (5) Months

Kills (&) (and) Repels Fleas (&) (and) Ticks through Contact for up to seven (7) Months

Kills (&) (and) Repels Fleas (&) (and) Ticks on contact for up to five (5) Months

Kills (&) (and) Repels Fleas (&) (and) Ticks on contact for up to seven (7) Months

(5)(7) Month(s) Protection

Starts Working (on)(through) contact with Rabon®\*

\*Rabon® is the Hartz® trademark for Tetrachlorvinphos

---

*Optional/Alternate text shown in ( ) or [ ]; Administrative text/notes to reviewer { } shown in { } and do not appear on commercial label.*

Page 4

Kills Up to 5 Months

Kills Up to 6 Months

Kills Up to 7 Months

Kills (&) (and) Repels Up to 5 months

Kills (&) (and) Repels Up to 6 months

Kills (&) (and) Repels Up to 7 Months

Kills Ticks

Kills (&) (and) Repels Ticks

Kills fleas (and) ticks

Kills (&) (and) Repels fleas and ticks

Kills (&) (and) Repels fleas and ticks for up to 5 months

Kills (&) (and) Repels fleas and ticks for up to 7 (seven) months

Long Term Protection

Long Term Protection against fleas and ticks

5-Month Protection

6-Month Protection

7-Month Protection

7-Month Protection against fleas and ticks

Continuous Protection

Continuous Protection against fleas and ticks

Kills fleas that may cause flea allergy dermatitis (and)(or) flea bite anemia.

Kills fleas that may transit tapeworm.

Effective, long lasting flea and tick prevention

Prevents fleas (and)(&)(ticks) round-the-clock for 7 seven months

Continuous protection for 7 (seven) months

Odorless, non-greasy, easy to use prevention

Dual action kills flea and ticks

Sustainable release technology for long lasting 7 month flea and tick control

Sustainable release technology for long lasting 7 month flea and tick prevention

Sustainable release technology

Slow, continuous release technology

Effective, long lasting flea and tick prevention

The active ingredient will work its way from the surface of the collar onto your pet's coat, providing continuous protection against fleas and ticks for 7 (seven) months

Full Body Protection for 7 (seven) months (for cats)

Remember to always read each product label and follow the directions carefully

Rabon® is a registered trademark for Tetrachlorvinphos

Break-away collar

Break-away buckle

Easy release collar

X collar (where X = a color)

For Cats For Kittens

For Cats (&) (and) Kittens

With deodorant

(Clean) (Fresh) (deodorant) scent

---

*Optional/Alternate text shown in ( ) or [ ]; Administrative text/notes to reviewer { } shown in { } and do not appear on commercial label.*

Convenient

Easy to apply

Apply new collar every 7 months

Comfort fit

Adjustable collar

Powerful Results When You Need (it)(them)

Safety (release) snap (buckle) (release) reduces risk of neck injury to your cat

EASY ACTIVATION - To activate collar, hold at each end...STRETCH...and it's ready (to work) (to kill fleas & ticks) (for your cat to wear).

Important: Consumer information and pet I.D. tag offer printed on inside of package.

Hartz® (brand name) products are designed to complement each other in an integrated program for flea (and)(&) tick management. To assure proper treatment, we recommend use of only Hartz® (brand name) products.

To learn more about treating current infestations and preventing future outbreaks, please visit (our website)([www.hartz.com](http://www.hartz.com))([www.hartzultraguard.com](http://www.hartzultraguard.com))

To learn more, visit ([www.hartz.com](http://www.hartz.com))([www.hartzultraguard.com](http://www.hartzultraguard.com))

(PLEASE)VISIT OUR WEBSITE (AT) ([www.hartz.com](http://www.hartz.com))([www.hartzultraguard.com](http://www.hartzultraguard.com))

Hartz recommends that you visit your veterinarian twice a year.

Be sure to read full directions and precautions on the label of every product you use.

Hartz® and other trademarks are trademarks of The Hartz Mountain Corporation

From the company with over 90 years [of] experience caring for pets

From the company with over 90 years [of] experience devoted to pets

From the company with over 90 years [of] experience dedicated to pets

From the company with over 90 years of commitment to pets

Hartz, the company with over 90 years [of] experience caring for pets

Hartz, the company with over 90 years of experience

Caring for Pets for over 90 years

Serving Pets for over 90 years

Helping Pets for over 90 years

**MULTIPLE PACKAGE CLAIMS**

2 Collars provide up to 10 months protection  
2 Collars up to 10 month protection  
2 Collars provide 10 months protection  
2 Collars provide 10 month protection  
10 month protection with 2 collars in 1 package  
10 months protection 2 collars in 1 package  
10 month protection with 2 collars per package  
10 months protection with 2 collars  
10 months control with 2 collars in 1 package  
10 month control with 2 collars in 1 package  
10 months control with 2 collars per package  
10 month control with 2 collars per package  
Up to 10 months control with 2 collars in 1 package  
Up to 10 months protection with 2 collars in 1 package  
2 Collars provide up to 12 months protection  
2 Collars up to 12 month protection  
2 Collars provide 12 months protection  
2 Collars provide 12 month protection  
12 month protection with 2 collars in 1 package  
12 months protection 2 collars in 1 package  
12 month protection with 2 collars per package  
10 months protection with 2 collars  
10 months control with 2 collars in 1 package  
10 month control with 2 collars in 1 package  
10 months control with 2 collars per package  
10 month control with 2 collars per package  
Up to 10 months control with 2 collars in 1 package  
Up to 10 months protection with 2 collars in 1 package  
2 Collars provide up to 14 months protection  
2 Collars up to 14 month protection  
2 Collars provide 14 months protection  
2 Collars provide 14 month protection  
14 month protection with 2 collars in 1 package  
14 months protection 2 collars in 1 package  
14 month protection with 2 collars per package  
14 months protection with 2 collars  
14 months control with 2 collars in 1 package  
14 month control with 2 collars in 1 package  
14 months control with 2 collars per package  
14 month control with 2 collars per package  
Up to 14 months control with 2 collars in 1 package  
Up to 14 months protection with 2 collars in 1 package  
Dual pack

**(OPTIONAL MARKETING ICONS)**



Adult Fleas



Adult Ticks